

Clinical Checklist for Specimen Collection of COVID-19 Test

The following checklist was developed to assist appropriate nursing home clinical staff in collecting specimens for a COVID-19 test. All nursing home testing will be utilizing anterior nares testing, a non-invasive form of COVID-19 testing available. Testing staff and residents in Ohio's nursing facilities is one of many strategies being deployed in congregate care settings to help prevent the spread of COVID-19 and save lives.

A companion instructional video on this process is <u>available online</u> as an additional resource to prepare and educate staff on specimen collection/swabbing.

For more information on the Congregate Care Unified Response Team (CCURT) efforts to test all staff and residents in Ohio's nursing homes, please visit the Ohio's Testing in Nursing Homes Webpage. Additional questions about COVID-19 testing in nursing homes can be sent to CCURT@odh.ohio.gov.

STEP	PROCESS CHECK LIST
Prepare your patients(s)	 □ Briefly describe the test, the materials, process and timing for results ○ Inform the patient that the anterior nares test is not painful and can be accomplished in under 30 seconds. □ Have the patient blow their nose, if possible ○ Remind the patient that he/she can stop the collection at any time □ Answer the patient's questions, hear concerns, and consider any special conditions or considerations
Preparing the collection station	 □ Confirm list of patients to be tested □ Verify lab requisition form has been completed electronically □ Preprint labels for each patient to be applied to the specimen vial, or gather supplies to write each patient's name, patient ID, and date of birth on the specimen vial □ Gather PPE ○ Face mask, ideally a N95 mask if available ○ Eye protection ○ Gown ○ Gloves □ Recruit a second person to assist with specimen collection ○ Person A, donning PPE, will swab the patient ■ This person must be appropriately trained clinical staff, preferably an LPN or RN. ○ Person B, donning PPE, holds specimen bag and assist with administrative tasks ■ Having a second person will minimize contamination by limiting potentially contaminated contact with the outside of the specimen bag and paperwork ○ If a second person is not available, tape the specimen bag with the opening easily accessible to the side of the table to prevent unnecessary contact □ Check testing kit/specimen packet
	☐ Check testing kit/specimen packet

	Read manufacturer specific instructions
	Flocked nasal swab - used to collect specimen Specimen violation in the liquid transport medium.
Droporing vourself	Specimen vial with liquid transport medium
Preparing yourself	□ Wash hands
	□ Put on appropriate personal protective equipment
	Person A Face most ideally a NO5 most if available.
	 Face mask, ideally a N95 mask if available Gloves
	GlovesEye protection
	o Gown
	o Person B
	 Face mask, ideally a N95 mask if available
	o Gloves
	 Eye protection – if working within 6ft of patient being swabbed
	 Gown - if working within 6ft of patient being swabbed
Conducting the	□ Remove swab from testing kit packet
Specimen	□ With the patient sitting comfortably, slightly tilt their
Collection	head back
	☐ Insert the swab, keeping it nearly parallel to the floor,
	into the patient's nostril - inserting no more than 1 inch
	into the nostril.
	□ When the swab is in place, rotate in a circular motion for
	5 seconds at a 45° angle
	□ Using the same swab, remove from the first nostril to the second nostril and repeat the
After Collection	process ☐ Remove cap from vial and insert swab into the
Antel Concellon	vial
	☐ Break the stick of the swab off, and discard in
	appropriate biohazard waste receptacle to
	prevent potential contamination
	 The flocked portion of the swab should
	remain in the liquid medium
	 Ensure that the cap is tightly screwed back on the vial
	□ Apply identifying information from preprinted labels or, if necessary, hand-written stickers
	to the vial
	□ Place vial into the specimen bag with the lab requisition form, sealing the top of the bag
	adequately
	□ Explain how results will be shared with the patient and answer any outstanding questions
	□ Safely discard used PPE
	 Staff should always change gloves between patients
	□ Clean and disinfect space where collection/swabbing occurred
	□ Prepare for to swab the next patients
Specimen storage	□ Pack and prepare specimens for pick-up by the courier at the facilities identified time
and pick-up	period.
	□ For more information on specimen pick-up and transport, please reference the Specimen
	Storage and Transport Check List available on Ohio's Testing in Nursing Homes Website.

For additional information, visit <u>coronavirus.ohio.gov</u>. For answers to your COVID-19 questions, call 1-833-4-ASK-ODH (1-833-427-5634).

Your mental health is just as important as your physical health. If you or a loved one are experiencing anxiety related to the coronavirus pandemic, help is available 24 hours a day, seven days a week. Call the COVID-19 CareLine at 1-800-720-9616.

CORONAVIRUS DISEASE 2019

Ohio

Department of Health

Protect yourself and others from COVID-19 by taking these precautions.

PREVENTION

For additional information call 1-833-4-ASK-ODH or visit coronavirus.ohio.gov.



STAY HOME EXCEPT FOR WORK AND OTHER NEEDS



WEAR A FACE COVERING WHEN GOING OUT



PRACTICE SOCIAL DISTANCING OF AT LEAST 6 FEET FROM OTHERS



SHOP AT NON-PEAK HOURS



WASH HANDS OFTEN WITH WATER AND SOAP (20 SECONDS OR LONGER)



AVOID TOUCHING YOUR EYES, NOSE, OR MOUTH WITH UNWASHED HANDS OR AFTER TOUCHING SURFACES



COVER YOUR MOUTH WITH A TISSUE OR SLEEVE WHEN COUGHING OR SNEEZING



CLEAN AND DISINFECT "HIGH-TOUCH" SURFACES OFTEN



DON'T WORK WHEN SICK



CALL BEFORE VISITING YOUR DOCTOR